ELSEVIER

Analytica Chimica Acta 412 (2000) 247–248

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author Index

Ali, A.M.M.
—, Farghaly, O.A. and Ghandour, M.A.
Determination of thiopentone sodium in aqueous and biological media by cathodic stripping voltammetry 99
Anthemidis, A.N.
—, Themelis, D.G. and Stratis, J.A.
Selective stopped-flow injection spectrophotometric determination of palladium(II) in hydrogenation and automobile exhaust gas converter catalysts 161

Bauzá de Mirabó, F.M., see Semenova, N.V. 169
Bianco Prevot, A.
—, Pramauro, E., Gallarate, M., Carlotti, M.E. and Orio, G.
Determination of micelle/water partition coefficients of cosmetic preservatives. Optimisation of the capillary electrophoretic method 141
Bos, M.
—, Vrielink, J.A.M. and van der Linden, W.E.
Non-destructive analysis of small irregularly shaped homogenous samples by X-ray fluorescence spectrometry 203

Carlotti, M.E., see Bianco Prevot, A. 141
Cerdá, V., see Semenova, N.V. 169
Chen, C.-F., see Tsai, T.-H. 13
Chen, X.
—, Ruan, C., Kong, J. and Deng, J.
Characterization of the direct electron transfer and bioelectrocatalysis of horseradish peroxidase in DNA film at pyrolytic graphite electrode 89
Chen, Y.-F., see Tsai, T.-H. 13
Colombo, C.
—, Kappes, T. and Hauser, P.C.
Coulometric micro-titrator with a ruthenium dioxide pH-electrode 69
Cui, D., see Hu, S. 55
Cui, H., see Tan, Y.X. 195

Defrancq, E., see Houdier, S. 221
Deng, A., see Fránek, M. 19
Deng, J., see Chen, X. 89
Dong, S., see Xu, G.&en;235

Farghaly, O.A., see Ali, A.M.M. 99

Fernández, J.M.
—, Parrilla Vázquez, P. and Martínez Vidal, J.L.
Analysis of *N*-methylcarbamates insecticides and some of their main metabolites in urine with liquid chromatography using diode array detection and electrospray mass spectrometry 131
Forteza, R., see Semenova, N.V. 169
Fránek, M.
—, Deng, A. and Kolář, V.
Performance characteristics for flow injection immunoassay using monoclonal antibodies against s-triazine and 2,4-D herbicides 19

Gallarate, M., see Bianco Prevot, A. 141
Ghandour, M.A., see Ali, A.M.M. 99
Gogan, N.J., see Jin, L. 77
Guilbault, G.G., see Kelly, S.C. 111

Hauser, P.C., see Colombo, C. 69
He, R.
— and Wang, J.
A Novel catalytic spectrophotometric procedure for the determination of trace-level aluminium 235
Hernández-Córdoba, M., see Viñas, P. 121
Hieftje, G.M., see Leach, A.M. 47
Hopke, P.K., see Wang, J.-H. 177
Horáček, J.
— and Skládal, P.
Effect of organic solvents on immunoassays of environmental pollutants studied using a piezoelectric biosensor 37
Houdier, S.
—, Perrier, S., Defrancq, E. and Legrand, M.
A new fluorescent probe for sensitive detection of carbonyl compounds: sensitivity improvement and application to environmental water samples 221
Hu, S.
—, Xu, C., Luo, J., Luo, J. and Cui, D.
Biosensor for detection of hypoxanthine based on xanthine oxidase immobilized on chemically modified carbon paste electrode 55

Imasaka, T., see Onoda, T. 213

Jiang, J.-H., see Tan, Y.X. 195

PII: S0003-2670(00)00858-8

Jin, L.
— and Gogan, N.J.
Copper complexing capacities of freshwaters by adsorptive cathodic stripping voltammetry 77

Kappes, T., see Colombo, C. 69
Kelly, S.C.
—, O'Connell, P.J., O'Sullivan, C.K. and Guilbault, G.G.
Development of an interferent free amperometric biosensor for determination of L-lysine in food 111
Kokot, S., see Ni, Y. 185
Kolář, V., see Fránek, M. 19
Kong, J., see Chen, X. 89

Leach, A.M.
—, Potyrailo, R.A. and Hieftje, G.M.
Design and characterization of a radioluminescent temperature sensor 47
Legrand, M., see Houdier, S. 221
Luo, J., see Hu, S. 55

Martínez Vidal, J.L., see Fernández, J.M. 131
Michael, A.C., see Peters, J.L. 1
Miller, K.E.
— and Synovec, R.E.
Rapid polymeric surfactant characterization using a novel flow-injection system with dynamic surface tension detection 149

Ni, Y.
—, Wang, L. and Kokot, S.
Voltammetric determination of butylated hydroxyanisole, butylated hydroxytoluene, propyl gallate and *tert*-butylhydroquinone by use of chemometric approaches 185

O'Connell, P.J., see Kelly, S.C. 111
O'Sullivan, C.K., see Kelly, S.C. 111
Onoda, T.
—, Saito, G. and Imasaka, T.
Scheme for collinear ionization in supersonic jet/multiphoton ionization/time-of-flight mass spectrometry 213
Orio, G., see Bianco Prevot, A. 141

Pardo-Martínez, M., see Viñas, P. 121
Perrier, S., see Houdier, S. 221
Parrilla Vázquez, P., see Fernández J.M. 131
Peters, J.L.
—, Yang, H. and Michael, A.C.
Quantitative aspects of brain microdialysis 1
Potyrailo, R.A., see Leach, A.M. 47
Pramauro, E., see Bianco Prevot, A. 141

Ruan, C., see Chen, X. 89

Saito, G., see Onoda, T. 213
Semenova, N.V.
—, Bauzá de Mirabó, F.M., Forteza, R. and Cerdá, V.
Sequential injection analysis system for total inorganic arsenic determination by hydride generation-atomic fluorescence spectrometry 169
Shen, G., see Wu, Z. 29
Shih, Y.
— and Zen, J.-M.
An electrochemical sensor based on a clay-coated screen-printed electrode for the determination of arbutin 63
Skládal, P., see Horáček, J. 37
Stratis, J.A., see Anthemidis, A.N. 161
Synovec, R.E., see Miller, K.E. 149

Tan, Y.X.
—, Jiang, J.-H., Wu, H.-L., Cui, H. and Yu, R.-Q.
Resolution of kinetic system of simultaneous degradations of chlorophyll *a* and *b* by PARAFAC 195
Themelis, D.G., see Anthemidis, A.N. 161
Tsai, T.-H.
—, Tsai, T.-R., Chen, Y.-F. and Chen, C.-F.
Determination and pharmacokinetic study of unbound cefoxitin in rat blood and brain with on-line microdialysis and microbore liquid chromatography 13
Tsai, T.-R., see Tsai, T.-H. 13

van der Linden, W.E., see Bos, M. 203
Viñas, P.
—, Pardo-Martínez, M. and Hernández-Córdoba, M.
Rapid determination of selenium, lead and cadmium in baby food samples using electrothermal atomic absorption spectrometry and slurry atomization 121
Vrielink, J.A.M., see Bos, M. 203

Wang, J., see He, R. 235
Wang, J.-H.
— and Hopke, P.K.
Estimation of the heteroscedastic noise in large data arrays 177
Wang, L., see Ni, Y. 185
Wu, H.-L., see Tan, Y.X. 195
Wu, Z.
—, Yan, Y., Shen, G. and Yu, R.
A novel approach of antibody immobilization based on *n*-butyl amine plasma-polymerized films for immunosensors 29

Xu, C., see Hu, S. 55
Xu, G.
Electrochemiluminescent determination of peroxydisulfate with $Cr(bpy)_3^{3+}$ in purely aqueous solution 235

Yan, Y., see Wu, Z. 29
Yang, H., see Peters, J.L. 1
Yu, R., see Wu, Z. 29
Yu, R.-Q., see Tan, Y.X. 195

Zen, J.-M., see Shih, Y. 63